

UC Fiber Connect Fiber Containment System



A brand of the



Introduction UC Fiber Connect


Fiber Containment System

UC Fiber Connect

Fiber Containment is a system designed to protect and route fiber optic patch cords, cable assemblies, MPO Trunk Cable and MPO Patch Cord from network cabinet, ODF and other area. UC Fiber Connect is fiber containment offers ideal solutions for optical raceway requirements and applications with elegant appearance easy move add and change as well as maintenance. Maintained 5cm (2 Inch) bending radius. Tools less not required special tools user friendly installation.

Safety and standard

- UL 2024, Cable Routing Assemblies and Communications Raceways
- RoHS Directive (EU) 2015
- Flame retardant materials rated GB/T2048-2008 FV-0 equivalent to UL94 V-0
- Material: Straight Section PVC, Other Plastic Parts ABS






UC Fiber Connect 120 (4X4.72)

Fiber Containment System

P/N UCFC ST 120: UC Fiber Connect 120, Straight Section 120X100X2000



Dimension: Height: 100mm Width: 120mm Length: 2000mm

Loading Capacity	2mm fiber	3mm fiber
50%	955	424
75%	1433	636
100%	1910	848

P/N UCFC ST C 120 : UC Fiber Connect 120, Straight Section, Cover 120X2000



Component Include: Width: 120mm Length: 2000mm

P/N UCFC CO 120: UC Fiber Connect 120, Connector




Component Include:

- 1 Connector
- 8 Sets Screws

P/N UCFC EC 120: UC Fiber Connect 120, End Cap





- -1 PC End Cap
- 4 Sets Screws



Fiber Containment System

P/N UCFC TP 120: UC Fiber Connect 120, Trumpet





Component Include:

- 1 PC Connector
- 4 Sets Screws

P/N UCFC HE 90 120: UC Fiber Connect 120, Horizontal Elbow 90°





Component Include:

- -1 PC Horizontal Elbow 90°
- 8 Sets Screws and Nuts

P/N UCFC HE 90 C 120: UC Fiber Connect 120, Horizontal Elbow 90°, Cover



Component Include:

- 1 PC Horizontal Elbow 90°

P/N UCFC HT 120: UC Fiber Connect 120, Horizontal Tee





Component Include:

- 1 PC Horizontal Tee
- 12 Sets Screws and Nuts

P/N UCFC HT C 120: UC Fiber Connect 120, Horizontal Tee, Cover



Component Include:

- 1 PC Horizontal Tee, Cover

P/N UCFC HC 120: UC Fiber Connect 120, Horizontal Cross





- 1 PC Horizontal Cross
- 16 Sets Screws and Nuts



Fiber Containment System

P/N UCFC HC C 120: UC Fiber Connect 120, Horizontal Cross, Cover



Component Include:

- 1 PC Horizontal Cross, Cover

P/N UCFC DE 45 120: UC Fiber Connect 120, Down Elbow 45°



Component Include:

- 1 PC Down Elbow 45°

Note: required two connectors to join

P/N UCFC DE 45 C 120: UC Fiber Connect 120, Down Elbow 45°, Cover



Component Include:

- 1 PC Down Elbow 45°, Cover

P/N UCFC UE 45 120: UC Fiber Connect 120, Up Elbow 45°



Component Include:

- 1 PC Up Elbow 45°

Note: required two connectors to join

P/N UCFC UE 45 C 120: UC Fiber Connect 120, Up Elbow 45°, Cover



Component Include:

- 1 PC Up Elbow 45°, Cover



Fiber Containment System

P/N UCFC VT 120: UC Fiber Connect 120, Vertical Tee



Component Include:

- 1 PC Vertical Tee

Note: required three connector to join

P/N UCFC UT 120: UC Fiber Connect 120, Universal Tee



Component Include:

- 1 PC Universal Tee

Note: required one connector to join

P/N UCFC TB 120: UC Fiber Connect 120, Trapeze Bracket Kit



- 1 PC Trapeze Bracket
- 2 Sets Screws and Nuts
- Thread Rod 16.2mm OD

UC Fiber Connect 240 (4X9.45)

Fiber Containment System

P/N UCFC ST 240: UC Fiber Connect 240, Straight Section 240X100X2000



Dimension: Height: 100mm Width: 240mm Length: 2000mm

Loading Capacity	2mm fiber	3mm fiber
\$50% E3 E3	1910	849
75%	2866	1273
100%	3821	1698

P/N UCFC ST C 240 : UC Fiber Connect 240, Straight Section, Cover 240X2000



Component Include: Width: 240mm Length: 2000mm

P/N UCFC CO 240: UC Fiber Connect 240, Connector



Component Include:

- 1 Connector
- 8 Sets Screws

P/N UCFC EC 240: UC Fiber Connect 240, End Cap





- -1 PC End Cap
- 4 Sets Screws



Fiber Containment System

P/N UCFC TP 240: UC Fiber Connect 240, Trumpet





Component Include:

- 1 PC Connector
- 4 Sets Screws

P/N UCFC HE 90 240: UC Fiber Connect 240, Horizontal Elbow 90°





Component Include:

- -1 PC Horizontal Elbow 90°
- 8 Sets Screws and Nuts

P/N UCFC HE 90 240: UC Fiber Connect 240, Horizontal Elbow 90°, Cover



Component Include:

- 1 PC Horizontal Elbow 90°

P/N UCFC HT 240: UC Fiber Connect 240, Horizontal Tee





Component Include:

- 1 PC Horizontal Tee
- 12 Sets Screws and Nuts

P/N UCFC HT C 240: UC Fiber Connect 240, Horizontal Tee, Cover



Component Include:

- 1 PC Horizontal Tee, Cover

P/N UCFC HT 240 120: UC Fiber Connect 240, Horizontal Tee Dual 240 to Single 120





- 1 PC Horizontal Tee Dual 240 to Single 120
- 12 Sets Screws and Nuts



Fiber Containment System

P/N UCFC HT C 240 120: UC Fiber Connect 240, Horizontal Tee Dual 240 to Single 120, Cover



Component Include:

- 1 PC Horizontal Tee Dual 240 to Single 120, Cover

P/N UCFC HC 240: UC Fiber Connect 240, Horizontal Cross



Component Include:

- 1 PC Horizontal Cross
- 16 Sets Screws and Nuts

P/N UCFC HC C 240: UC Fiber Connect 240, Horizontal Cross, Cover



Component Include:

- 1 PC Horizontal Cross, Cover

P/N UCFC DE 45 240: UC Fiber Connect 240, Down Elbow 45°



Component Include:

- 1 PC Down Elbow 45°

Note: required two connectors to join

P/N UCFC DE 45 C 240: UC Fiber Connect 240, Down Elbow 45°, Cover



Component Include:

- 1 PC Down Elbow 45°, Cover



Fiber Containment System

P/N UCFC UE 45 240: UC Fiber Connect 240, Up Elbow 45°



Component Include: - 1 PC Up Elbow 45°

Note: required two connectors to join

P/N UCFC UE 45 C 240: UC Fiber Connect 240, Up Elbow 45°, Cover



Component Include:

- 1 PC Up Elbow 45°, Cover

P/N UCFC AD 240 120: UC Fiber Connect 240, Adaptor Reduce 240 to 120



Component Include:

- 1 PC Adaptor Reduce 240 to 120
- 8 Sets Screws and Nuts

P/N UCFC AD C 240 120: UC Fiber Connect 240, Adaptor Reduce 240 to 120, Cover



Component Include:

- 1 PC Adaptor Reduce 240 to 120, Cover

Fiber Containment System

P/N UCFC VT 240 120: UC Fiber Connect 240, Vertical Tee 240 to 120



Component Include:

- 1 PC Vertical Tee

Note: required two 240 connector and one 120 connector to join

P/N UCFC UT 240: UC Fiber Connect 240, Universal Tee



Component Include:

- 1 PC Universal Tee

Note: required one connector to join

P/N UCFC TB 240: UC Fiber Connect 120, Trapeze Bracket Kit



- 1 PC Trapeze Bracket
- 2 Sets Screws and Nuts
- Thread Rod 16.2mm OD

UC Fiber Connect 300 (4X11.81)

Fiber Containment System

P/N UCFC ST 300: UC Fiber Connect 300, Straight Section 300X100X2000



Dimension: Height: 100mm Width: 300mm Length: 2000mm

Loading Capacity	2mm fiber	3mm fiber
50%	2370	1055
75%	3556	1578
100%	5136	2106

P/N UCFC ST C 300 : UC Fiber Connect 300, Straight Section, Cover 300X2000



Component Include:

Width: 300mm Length: 2000mm

P/N UCFC CO 300 : UC Fiber Connect 300, Connector



Component Include:

- 1 Connector

- 8 Sets Screws

P/N UCFC EC 300: UC Fiber Connect 300, End Cap





Component Include:

- 1 PC End Cap

- 4 Sets Screws

Fiber Containment System

P/N UCFC TP 300: UC Fiber Connect 300, Trumpet





Component Include:

- 1 PC Connector
- 4 Sets Screws

P/N UCFC HE 90 300: UC Fiber Connect 300, Horizontal Elbow 90°





Component Include:

- -1 PC Horizontal Elbow 90°
- 10 Sets Screws and Nuts

P/N UCFC HT 300: UC Fiber Connect 300, Horizontal Tee





Component Include:

- 1 PC Horizontal Tee
- 15 Sets Screws and Nuts

P/N UCFC HC 300: UC Fiber Connect 300, Horizontal Cross





Component Include:

- 1 PC Horizontal Cross
- 20 Sets Screws and Nuts

P/N UCFC DE 45 300: UC Fiber Connect 300, Down Elbow 45°





Component Include:

- 1 PC Down Elbow 45°

Note: required two connectors to join

P/N UCFC UE 45 300: UC Fiber Connect 300, Up Elbow 45°





Component Include:

- 1 PC Up Elbow 45°

Note: required two connectors to join



Fiber Containment System

P/N UCFC AD 300 240: UC Fiber Connect 300, Adaptor Reduce 300 to 240



Component Include:

- 1 PC Adaptor Reduce 300 to 240
- 9 Sets Screws and Nuts

P/N UCFC AD C 300 240: UC Fiber Connect 300, Adaptor Reduce 300 to 240, Cover



Component Include:

- 1 PC Adaptor Reduce 300 to 240, Cover

P/N UCFC TB 300: UC Fiber Connect 300, Trapeze Bracket Kit



- 1 PC Trapeze Bracket
- 2 Sets Screws and Nuts
- Thread Rod 16.2mm OD

UC Fiber Connect 360 (4X14.17)

Fiber Containment System

P/N UCFC ST 360: UC Fiber Connect 360, Straight Section 360X100X2000



Dimension: Height: 100mm Width: 360mm Length: 2000mm

Loading Capacity	2mm fiber	3mm fiber
E \$50%	2940	1308
75%	4409	1957
100%	6369	2611

P/N UCFC ST C 360 : UC Fiber Connect 360, Straight Section, Cover 360X2000



Component Include: Width: 360mm Length: 2000mm

P/N UCFC CO 360: UC Fiber Connect 360, Connector



Component Include:

- 1 Connector
- 8 Sets Screws

P/N UCFC EC 360: UC Fiber Connect 360, End Cap





- 1 PC End Cap
- 4 Sets Screws



Fiber Containment System

P/N UCFC HE 90 360: UC Fiber Connect 360, Horizontal Elbow 90°



Component Include:

-1 PC Horizontal Elbow 90°

Note: required two connectors to join

P/N UCFC HE 90 360: UC Fiber Connect 360, Horizontal Elbow 90°, Cover



Component Include:

- 1 PC Horizontal Elbow 90°

P/N UCFC HT 360: UC Fiber Connect 360, Horizontal Tee



Component Include:

- 1 PC Horizontal Tee

Note: required three connectors to join

P/N UCFC HT C 360: UC Fiber Connect 360, Horizontal Tee, Cover



Component Include:

- 1 PC Horizontal Tee, Cover

P/N UCFC HC 360: UC Fiber Connect 360, Horizontal Cross



Component Include:

- 1 PC Horizontal Cross

Note: required four connectors to join

P/N UCFC HC C 360: UC Fiber Connect 360, Horizontal Cross, Cover



Component Include:

- 1 PC Horizontal Cross, Cover



Fiber Containment System

P/N UCFC DE 45 360: UC Fiber Connect 360, Down Elbow 45°



Component Include:

- 1 PC Down Elbow 45°

Note: required two connectors to join

P/N UCFC DE 45 C 360: UC Fiber Connect 360, Down Elbow 45°, Cover



Component Include:

- 1 PC Down Elbow 45°, Cover

P/N UCFC UE 45 360: UC Fiber Connect 360, Up Elbow 45°



Component Include:

-1PC Up Elbow 45°

Note: required two connectors to join

P/N UCFC UE 45 C 360: UC Fiber Connect 360, Up Elbow 45°, Cover



Component Include:

- 1 PC Up Elbow 45°, Cover

P/N UCFC AD 360 300: UC Fiber Connect 360, Adaptor Reduce 360 to 300



- 1 PC Adaptor Reduce 360 to 300
- 9 Sets Screws and Nuts

Fiber Containment System

P/N UCFC AD C 360 300: UC Fiber Connect 360, Adaptor Reduce 360 to 300, Cover



Component Include:

- 1 PC Adaptor Reduce 360 to 300, Cover

P/N UCFC TB 360: UC Fiber Connect 360, Trapeze Bracket Kit



- 1 PC Trapeze Bracket
- 2 Sets Screws and Nuts
- Thread Rod 16.2mm OD



UC Fiber Connect Accessory

Fiber Containment System

P/N UCFC OT 55: UC Fiber Connect Cable Exit 55 with Tube 80cm



Component Include:

- 1 PC Cable Exit Base
- 1 PC Cable Exit Cover
- 1 PC Hose Fixer
- 1 PC Hose OD 55mm, Length 80cm
- 2 Sets Screws and Nuts

P/N UCFC OT 120: UC Fiber Connect Cable Exit 120



Component Include:

- 1 PC Cable Exit Base
- 1 PC Cable Exit Cover
- 2 Sets Screws and Nuts

Note: required one connectors 120 to join



We make communication technology work, by serving you in every way to realize your leading edge network solution

SINGAPORE (ASIA PACIFIC)

No 20. Jurong Port Road, Jurong Town SINGAPORE 619094 Tel +65 6898 3633 Fax: +65 6265 2226

MALAYSIA

Suite 1201-3, Level 12, Tower 2, Kelana Brem Towers, Jalan SS7/15 Off Jalan Stadium, Kelana Jaya, 47301 Petaling Jaya, MALAYSIA Tel +60 3 7803 7171 FAX +60 3 7803 7575

INDONESIA

Perkantoran Hijau Arkadia, Tower F, 7th Floor Suite 701 JI. T.B. Simatupang Kav. 88, Jakarta 12520 INDONESIA Tel +62 21 7816515 Fax +62 21 7816504

VIETNAM

9th Floor, Central Park Building, 208 Nguyen Trai Street, Dist 1, HCM, VIETNAM Tel +84 8 392 60581 Fax +84 8 392 60580

THAILAND

2170 Bangkok Tower, New Petchburi Rd, Huaykhwang, Bangkapi, Bangkok 10310 THAILAND Tel +662 3080 830 Fax +662 6080 054

CHINA

上海市政立路500号 创智天地三期7号楼3楼A47 邮编:200433

UNITED KINGDOM

Chickenhall Lane,
Eastleigh,
Hampshire, SO50 6YU
England
Email: uc-connect@prysmiangroup.com
Tel +44 23 8029 5555 Fax: +44 23 8060 8769

TURKEY

Haktan Is Merkezi No:39 Kat 2 setustu Kabatas 34427 Istanbul Email: tpks@prysmiangroup.com Tel +90 212 393 7700 Fax: +90 212 393 7762

Visit www.DrakaUC.com for more information on our Multimedia Solutions products portfolio.

Email: mms.asia@prysmiangroup.com for further enquiries, or contact our local offices.





