



## Draka UC SLIMFLEX Copper Patch Cord

Cat.6 U/UTP 28AWG 250 MHz, Stranded



(Only for reference)

### Application

Generic cabling systems

Primary (Campus), Secondary (Riser), Tertiary (Horizontal)

IEEE 802.3: 10Base-T; 100Base-T; 1000Base-T

IEEE 802.5 16 MB; ISDN; TPDDI; ATM

IEEE 802.3af (PoE); IEEE 802.3at (PoE+)

### Standards

ANSI/TIA 568.2-D

ISO/IEC 11801-1/2

EN 50173

IEC 61935-2

IEC 60603-7

## Construction

<b>Item</b>	
<b>Conductor</b>	
Size	28AWG
Type	Stranded bare copper
<b>Pairs</b>	
Color	Blue/White, Orange/White, Green/White, Brown/White
<b>Jacket</b>	
Type	LSZH
Overall Diameter	3.9 mm
<b>Assembly</b>	
RJ45 Modular Plug	50 u" gold plated contact
Termination Coding	TIA 568-B
Plug Housing	UL94V-0 rated clear polycarbonate
<b>Performance</b>	
Component Level	1m-10m
Channel Level	0.2m-1m 10m-20m

## Fire Rating

LSZH IEC 60332-1; IEC 60754-1&2; IEC 61034-2

## Ordering Information

The PN of the SLIMFLEX Cat.6 U/UTP LSZH are configured based on the table below:

PATCHCORD	PATCHCORD TYPE	COLOR		LENGTH
PS	XXXX	XX	-	XX
	9671 – SLIMFLEX Cat.6 U/UTP LSZH	GY – Grey		0.2 = 0.2m 1 = 1m 0 = 1.5m 2 = 2m 3 = 3m 5 = 5m 10 = 15m 15 = 15m 20 = 20m

Example of a SLIMFLEX copper patch cord part number:

**PS9671GY-1:** SLIMFLEX copper patch cord Cat.6 U/UTP LSZH in 1-metre length with grey color

UC Part Number	SAP1C	Description	Weight (g)	Packaging
<b>LSZH</b>				
PS9671GY-1	YPSBP00498	DRAKA UCCONNECT Cat.6 SLIMF PATCH CORD UUTP LSZH 28AWG 1M GREY	6.88	1 pc / bag
PS9671GY-0	YPSBP00499	DRAKA UCCONNECT Cat.6 SLIMF PATCH CORD UUTP LSZH 28AWG 1.5M GREY	8.7	1 pc / bag
PS9671GY-2	YPSBP00500	DRAKA UCCONNECT Cat.6 SLIMF PATCH CORD UUTP LSZH 28AWG 2M GREY	9.2	1 pc / bag
PS9671GY-3	YPSBP00501	DRAKA UCCONNECT Cat.6 SLIMF PATCH CORD UUTP LSZH 28AWG 3M GREY	10.5	1 pc / bag
PS9671GY-4	YPSBP00502	DRAKA UCCONNECT Cat.6 SLIMF PATCH CORD UUTP LSZH 28AWG 4M GREY	12.8	1 pc / bag
PS9671GY-5	YPSBP00503	DRAKA UCCONNECT Cat.6 SLIMF PATCH CORD UUTP LSZH 28AWG 5M GREY	14.6	1 pc / bag
PS9671GY-7	YPSBP00504	DRAKA UCCONNECT Cat.6 SLIMF PATCH CORD UUTP LSZH 28AWG 7M GREY	17.6	1 pc / bag
PS9671GY-10	YPSBP00505	DRAKA UCCONNECT Cat.6 SLIMF PATCH CORD UUTP LSZH 28AWG 10M GREY	18.5	1 pc / bag
PS9671BL-1	YPCBP02510	DRAKA UCCONNECT Cat.6 SLIMF PATCH CORD UUTP LSZH 28AWG 1M BLUE	6.88	1 pc / bag
PS9671BL-2	YPCBP02511	DRAKA UCCONNECT Cat.6 SLIMF PATCH CORD UUTP LSZH 28AWG 2M BLUE	9.2	1 pc / bag
PS9671BL-3	YPCBP02512	DRAKA UCCONNECT Cat.6 SLIMF PATCH CORD UUTP LSZH 28AWG 3M BLUE	10.5	1 pc / bag
PS9671BL-5	YPCBP02513	DRAKA UCCONNECT Cat.6 SLIMF PATCH CORD UUTP LSZH 28AWG 5M BLUE	14.6	1 pc / bag
PS9671WH-2	YPCBP02514	DRAKA UCCONNECT Cat.6 SLIMF PATCH CORD UUTP LSZH 28AWG 2M WHITE	9.2	1 pc / bag
PS9671WH-3	YPCBP02515	DRAKA UCCONNECT Cat.6 SLIMF PATCH CORD UUTP LSZH 28AWG 3M WHITE	10.5	1 pc / bag

## Marking:

Marked in 1-meter intervals as follows:

**Draka UCCONNECT SFLEX Cat.6 U/UTP LSZH PS9671GY 4x2 28AWG EN 50288 ISO/IEC 11801 WW/YYYY <Batch Code> <FC>**

<WW/YYYY>: Week/Year

<BATCH CODE>: Factory defined tracking code

<FC>: Draka defined factory Code

Marking color: blue

## Enquiries

---

Please contact our local sales office or email to: [mms.asia@prysmiangroup.com](mailto:mms.asia@prysmiangroup.com)

Multimedia Solutions is the data communication portfolio of Prysmian Group and comprises all the necessary portfolio of cable solutions for data communication.

Ask about UC CONNECT for a complete Structured Cabling Solutions with 25 Years System Warranty.

Visit [www.drakauc.com](http://www.drakauc.com) for more information.

---

© PRYSMIAN GROUP 2022, All Rights Reserved

All sizes and values without tolerances are reference values. Specifications are for product as supplied by Prysmian Group: any modification or alteration afterwards of product may give different result.

The information contained within this document must not be copied, reprinted or reproduced in any form, either wholly or in part, without the written consent of Prysmian Group. The information is believed to be correct at the time of issue. Prysmian Group reserves the right to amend this specification without prior notice. This specification is not contractually valid unless specifically authorised by Prysmian Group.